

Trade name : **Revision date :** Print date :

71241 Peach 05.03.2016 02 03 2017

Version (Revision) :

9.0.0 (8.0.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier 71241 Peach 1.2 Relevant identified uses of the substance or mixture and uses advised against **Relevant identified uses** Perfumes, fragrances Remark The product is intended for professional use. 1.3 Details of the supplier of the safety data sheet Supplier (manufacturer/importer/only representative/downstream user/distributor) Exagon AG Street: Räffelstrasse 10 Postal code/city : CH - 8045 Zürich **Telephone :** +41 44 430 36 76 Telefax: +41 44 430 36 66 Information contact : info@exagon.ch 1.4 Emergency telephone number Chemtrec Global Services +1-703-527-3887 Chemtrec Germany (Frankfurt) +49-696 435 08409

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP] None

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Special rules for supplemental label elements for certain mixtures EUH208 Contains PIPERONAL.May produce an allergic reaction. EUH210

Safety data sheet available on request.

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

gamma-UNDECALACTON ; EC No. : 203-225-4; CAS No. : 104-67-6 Weight fraction : ≥ 1 - < 10 % Classification 1272/2008 [CLP] : Aquatic Chronic 3; H412 TETRAHYDROLINALOOL ; EC No. : 201-133-9; CAS No. : 78-69-3 Weight fraction : ≥ 1 - < 10 % Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319 3,5,5-TRIMETHYLHEXYL ACETATE ; EC No. : 261-245-9; CAS No. : 58430-94-7 Weight fraction : ≥ 1 - < 10 %

Page : 1 / 6

(EN / EU)



Trade name : Revision date : Print date : 71241 Peach 05.03.2016 02.03.2017

Version (Revision) :

9.0.0 (8.0.0)

 Classification 1272/2008 [CLP] :
 Skin Irrit. 2 ; H315 Aquatic Chronic 2 ; H411

 HEXYL ACETATE ; EC No. : 205-572-7; CAS No. : 142-92-7

 Weight fraction :
 $\geq 1 - < 10 \%$

 Classification 1272/2008 [CLP] :
 Flam. Liq. 3 ; H226

 2,6-DIMETHYL-7-OCTEN-2-OL ; EC No. : 242-362-4; CAS No. : 18479-58-8

 Weight fraction :
 $\geq 1 - < 10 \%$

 Classification 1272/2008 [CLP] :
 Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319

 Additional information
 = 1 - < 10 %

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Remove victim out of the danger area. Change contaminated, saturated clothing. When in doubt or if symptoms are observed, get medical advice.

General information

Observe risk of aspiration if vomiting occurs.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. In case of skin reactions, consult a physician.

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

- **4.2 Most important symptoms and effects, both acute and delayed** No information available.
- 4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media

Sand Foam Carbon dioxide (CO2) Dry extinguishing powder

Unsuitable extinguishing media High power water jet

5.2 Special hazards arising from the substance or mixture Hazardous combustion products Nitrogen oxides (NOx) Sulphur oxides

5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

5.4 Additional information

Do not inhale explosion and combustion gases. Collect contaminated fire extinguishing water separately. Do not allow



Trade name : Revision date : Print date : 71241 Peach 05.03.2016 02.03.2017

Version (Revision) :

9.0.0 (8.0.0)

entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Remove all sources of ignition. Provide adequate ventilation.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

6.4 Reference to other sections

None

SECTION 7: Handling and storage

7.1 Precautions for safe handling

All work processes must always be designed so that the following is excluded: Inhalation of vapours or spray/mists Skin contact Eye contact If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Protective measures

Measures to prevent fire

Keep away from sources of ignition. - No smoking.

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Floors should be impervious, resistant to liquids and easy to clean. Provide for retaining containers, eg. floor pan without outflow. Keep/Store only in original container. Keep container tightly closed. Ensure adequate ventilation of the storage area.

Further information on storage conditions

Protect against : Heat. UV-radiation/sunlight

7.3 Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

None

8.2 Exposure controls

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. **Personal protection equipment**



Eye/face protection Eye glasses with side protection

Skin protection

Page : 3 / 6



Trade name : Revision date : Print date :

71241 Peach 05.03.2016 02.03.2017

Version (Revision) :

9.0.0 (8.0.0)

	Hand protection					
	Hand protection Disposable gloves.					
	Suitable material : Butyl cao	outchouc (butyl rubb	per)			
	Respiratory protection					
	Usually no personal respirative p	protection necessary	/.			
SEC	TION 9: Physical and chem	nical propertie	es			
9.1	Information on basic phy	sical and cher	nical pror	perties		
	Appearance					
	Colour : colourless					
	Odour					
	fruity					
	Safety relevant basis dat	ta				
	Physical state :			liquid		
	Initial boiling point and boiling range :	(1013 hPa)	>	35	°C	
	Flash point :		=	92	°C	DIN ISO 2719
	Density :	(20 °C)		0,995 - 1,009	g/cm ³	
9.2						
	None					
SEC	TION 10: Stability and rea	ctivity				
		-				
	Stable under recommended storage	-	itions(See sec	ction 7).		
10.1	Reactivity	-	itions(See sec	ction 7).		
	Reactivity No information available.	-	itions(See sec	tion 7).		
	Reactivity No information available. Chemical stability	and handling cond		ction 7).		
10.2	Reactivity No information available. Chemical stability Decompostion takes place from ter	and handling condi		tion 7).		
10.2	Reactivity No information available. Chemical stability	and handling condi		tion 7).		
10.2 10.3	Reactivity No information available. Chemical stability Decompostion takes place from ter Possibility of hazardous rea	and handling condi		tion 7).		
10.2 10.3	Reactivity No information available. Chemical stability Decompostion takes place from ter Possibility of hazardous rea No information available.	and handling conding c	230 °C			
10.2 10.3 10.4	Reactivity No information available. Chemical stability Decompostion takes place from ter Possibility of hazardous rea No information available. Conditions to avoid	and handling conding c	230 °C			
10.2 10.3 10.4 10.5	Reactivity No information available. Chemical stability Decompostion takes place from ter Possibility of hazardous rea No information available. Conditions to avoid In case of exceeding the storage to Incompatible materials Oxidising agent.	and handling conditions	230 °C			
10.2 10.3 10.4 10.5	Reactivity No information available. Chemical stability Decompostion takes place from ter Possibility of hazardous rea No information available. Conditions to avoid In case of exceeding the storage ter Incompatible materials Oxidising agent. Hazardous decomposition p	and handling condi mperatures above: 3 actions emperature: Danger	230 °C r of bursting o			
10.2 10.3 10.4 10.5 10.6	Reactivity No information available. Chemical stability Decompostion takes place from ter Possibility of hazardous rea No information available. Conditions to avoid In case of exceeding the storage to Incompatible materials Oxidising agent. Hazardous decomposition p May cause decomposition by long-	and handling condi mperatures above: 3 actions emperature: Danger	230 °C r of bursting o			
10.2 10.3 10.4 10.5 10.6	Reactivity No information available. Chemical stability Decompostion takes place from ter Possibility of hazardous rea No information available. Conditions to avoid In case of exceeding the storage te Incompatible materials Oxidising agent. Hazardous decomposition p May cause decomposition by long- Additional information	and handling condi mperatures above: 3 actions emperature: Danger	230 °C r of bursting o			
10.2 10.3 10.4 10.5 10.6	Reactivity No information available. Chemical stability Decompostion takes place from ter Possibility of hazardous rea No information available. Conditions to avoid In case of exceeding the storage to Incompatible materials Oxidising agent. Hazardous decomposition p May cause decomposition by long-	and handling condi mperatures above: 3 actions emperature: Danger	230 °C r of bursting o			
10.2 10.3 10.4 10.5 10.6 10.7	Reactivity No information available. Chemical stability Decompostion takes place from ter Possibility of hazardous rea No information available. Conditions to avoid In case of exceeding the storage te Incompatible materials Oxidising agent. Hazardous decomposition p May cause decomposition by long- Additional information	and handling conditions mperatures above: 2 actions emperature: Danger products term light influence	230 °C r of bursting o			
10.2 10.3 10.4 10.5 10.6 10.7	Reactivity No information available. Chemical stability Decompostion takes place from ter Possibility of hazardous rea No information available. Conditions to avoid In case of exceeding the storage to Incompatible materials Oxidising agent. Hazardous decomposition p May cause decomposition by long- Additional information May form explosive peroxides. CTION 11: Toxicological information	and handling conditions actions emperature: Danger products term light influence	230 °C r of bursting o			
10.2 10.3 10.4 10.5 10.6 10.7	Reactivity No information available. Chemical stability Decompostion takes place from ter Possibility of hazardous rea No information available. Conditions to avoid In case of exceeding the storage to Incompatible materials Oxidising agent. Hazardous decomposition p May cause decomposition by long- Additional information May form explosive peroxides. CTION 11: Toxicological information	and handling conditions actions emperature: Danger products term light influence	230 °C r of bursting o			
10.2 10.3 10.4 10.5 10.6 10.7 SEC 11.1	 Reactivity No information available. Chemical stability Decomposition takes place from ter Possibility of hazardous reaction information available. Conditions to avoid In case of exceeding the storage to avoid In case of exceeding the storage to available materials Oxidising agent. Hazardous decomposition provides and available information May cause decomposition by long-Additional information May form explosive peroxides. CTION 11: Toxicological information information available. 	and handling condi- mperatures above: 2 actions emperature: Danger broducts term light influence formation al effects	230 °C r of bursting o			
10.2 10.3 10.4 10.5 10.6 10.7 SEC 11.1	Reactivity No information available. Chemical stability Decompostion takes place from ter Possibility of hazardous rea No information available. Conditions to avoid In case of exceeding the storage to Incompatible materials Oxidising agent. Hazardous decomposition p May cause decomposition by long- Additional information May form explosive peroxides. CTION 11: Toxicological information	and handling condi- mperatures above: 2 actions emperature: Danger broducts term light influence formation al effects	230 °C r of bursting o			



Trade name : Revision date : Print date : 71241 Peach 05.03.2016 02.03.2017

Version (Revision) :

9.0.0 (8.0.0)

No information available.

12.2 Persistence and degradability No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available. 12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

None

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Can be incinerated together with household waste in compliance with applicable technical regulations following consultation with approved waste disposal management companies and authorities in charge.

Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV Waste code product

160305

Waste treatment options Appropriate disposal / Package

Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

None

15.2 Chemical safety assessment



Trade name : Revision date : Print date : 71241 Peach 05.03.2016 02.03.2017

9.0.0 (8.0.0)

No information available.

SECTION 16: Other information

16.1 Indication of changes

2. Label elements · 03. Hazardous ingredients

16.2 Abbreviations and acronyms

None

16.3 Key literature references and sources for data

None

Classification for mixtures and used evaluation method according to regulation (EC) 16.4 No 1272/2008 [CLP]

No information available.

16.5 Relevant H- and EUH-phrases (Number and full text)

- H226 Flammable liquid and vapour.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
 - H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. This document is not intended for quality assurance purposes.